



Safety Washers DIN9250S 蝶形防松垫圈DIN9250S



For soew		d	dc	h	H		Kg/1000 pieces
米制	英寸制				(max)	(min)	
27	—	1.7	3.2	0.35	0.6	0.4	0.013
27 SP	—	2.2	4	0.35	0.6	0.4	0.021
30	1-1/8.	2.7	4.8	0.45	0.9	0.5	0.039
30 SP	1-1/8 SP	3.2	5.5	0.45	0.9	0.5	0.049
33	1-1/4.	3.7	6	0.45	0.9	0.55	0.055
33 SP	1-1/4 SP	4.3	7	0.5	1	0.55	0.085
36	1-3/8.	5.3	9	0.6	1.1	0.6	0.167
36 SP	1-3/8 SP	6.4	10	0.6	1.2	0.7	0.2
39	—	6.7	9.5	0.6	1.2	0.65	0.15
42	—	7.4	12	0.7	1.3	0.8	0.355
45	—	8.4	13	0.7	1.4	0.9	0.3925
48	—	10.5	16	0.9	1.6	1.1	0.75
52	—	11.6	15.9	0.9	1.6	1.05	0.595
56	—	13	18	1	1.7	1.15	0.879
60	—	13.7	19	1	1.8	1.25	0.976
64	—	15	22	1.1	2	1.35	1.641
68	—	17	24	1.3	2.1	1.55	1.984
72	—	19	27	1.4	2.3	1.75	2.97
76	—	20	30	1.4	2.5	1.9	4.1
80	—	21	30	1.4	2.5	1.85	3.742
85	—	23	33	1.4	2.7	1.95	4.507
90	—	25.6	36	1.6	2.9	2.15	5.91
95	—	27	38	1.8	3.1	2.35	7.449
100	—	28.6	39	1.8	3.1	2.35	7.369
105	—	31.6	45	1.8	3.6	2.6	10.78
110	—	34	50	2.5	4	3.25	19.8
115	—	38	54	2.5	4.2	3.2	21.28


Safety Washers DIN9250VS 重型蝶形防松垫圈DIN9250VS




For soew		d	dc	h	H		Kg/1000
Metric	Inch				(max)	(min)	
27	—	5.3	9	1	1.3	1.05	0.298
27 SP	—	6.4	10	1	1.4	1.1	0.33
30	1-1/8.	8.4	13	1.5	2	1.6	0.836
30 SP	1-1/8 SP	10.5	16	1.8	2.3	1.9	1.501
33	1-1/4.	13	18	1.8	2.4	1.9	1.731
33 SP	1-1/4 SP	15	22	1.8	0.5	1.95	2.693
36	1-3/8.	17	24	2.5	3.1	2.6	4.145
36 SP	1-3/8 SP	19	27	2.5	3.2	2.65	5.37
39	—	21	30	2.5	3.3	2.7	6.709
42	—	23	33	2.5	3.4	2.7	8.184
45	—	25.6	36	3	3.9	3.2	11.262
48	—	28.6	39	3	4	3.3	12.36
52	—	31.6	45	3	4.3	3.55	18.222

Material: 65mn /S60C/SK5 /60Si2Mn /51CrV4

Surface Treatment: Mechanical galvanizing /Dacromet /Geomet /Magni /Delta



Stainless steel Safety Washers 蝶形防松垫圈DIN9250SS




For soew		d	dc	h	H		Kg/1000 pieces
米制	英寸制				(max)	(min)	
27	—	1.7	3.2	0.35	0.6	0.4	0.013
27 SP	—	2.2	4	0.35	0.6	0.4	0.021
30	1-1/8.	2.7	4.8	0.45	0.9	0.5	0.039
30 SP	1-1/8 SP	3.2	5.5	0.45	0.9	0.5	0.049
33	1-1/4.	3.7	6	0.45	0.9	0.55	0.055
33 SP	1-1/4 SP	4.3	7	0.5	1	0.55	0.085
36	1-3/8.	5.3	9	0.6	1.1	0.6	0.167
36 SP	1-3/8 SP	6.4	10	0.6	1.2	0.7	0.2
39	—	6.7	9.5	0.6	1.2	0.65	0.15
42	—	7.4	12	0.7	1.3	0.8	0.355
45	—	8.4	13	0.7	1.4	0.9	0.3925
48	—	10.5	16	0.9	1.6	1.1	0.75
52	—	11.6	15.9	0.9	1.6	1.05	0.595
56	—	13	18	1	1.7	1.15	0.879
60	—	13.7	19	1	1.8	1.25	0.976
64	—	15	22	1.1	2	1.35	1.641
68	—	17	24	1.3	2.1	1.55	1.984
72	—	19	27	1.4	2.3	1.75	2.97
76	—	20	30	1.4	2.5	1.9	4.1
80	—	21	30	1.4	2.5	1.85	3.742
85	—	23	33	1.4	2.7	1.95	4.507
90	—	25.6	36	1.6	2.9	2.15	5.91
95	—	27	38	1.8	3.1	2.35	7.449
100	—	28.6	39	1.8	3.1	2.35	7.369
105	—	31.6	45	1.8	3.6	2.6	10.78
110	—	34	50	2.5	4	3.25	19.8
115	—	38	54	2.5	4.2	3.2	21.28

Material: 304 (A2)/316 (A4)7.631/17-7PH

Surface Treatment: Polishing

Stainless steel Safety Washers 重型不锈钢蝶形防松垫圈DIN9250Vss



For soew		d	dc	h	H		Kg/1000
Metric	Inch				(max)	(min)	
M5	3/16	5.3	9	1	1.3	1.05	0.298
M6		6.4	10	1	1.4	1.1	0.33
M8	5/16	8.4	13	1.5	2	1.6	0.836
M10	3/8	10.5	16	1.8	2.3	1.9	1.501
M12		13	18	1.8	2.4	1.9	1.731
M14		15	22	1.8	0.5	1.95	2.693
M16	5/8	17	24	2.5	3.1	2.6	4.145
M18		19	27	2.5	3.2	2.65	5.37
M20		21	30	2.5	3.3	2.7	6.709
M22		23	33	2.5	3.4	2.7	8.184
M24		25.6	36	3	3.9	3.2	11.262
M27		28.6	39	3	4	3.3	12.36
M30	1-1/8.	31.6	45	3	4.3	3.55	18.222

Material: 304 (A2/316 (A4) 7.631/17-7PH

Surface Treatment: Polishing

